

















Ago Applique

| IP66 IK 07 2J xx5 CE UK CA | LED | | | COL. | CODE * |  |
|---|-----|-----|---------|--|---|---|
| | W | LM | REAL LM | | | |
|  | 5 | 600 | 497 |   AC DIRECT |  LL126200 □ □ | |
| | | | | |  LL126201 □ □ | |
| | | | | |  LL126202 □ □ | |
| | | | | |  LL126203 □ □ | |

* Complete the CODE OPTIC D | Diff. S | 25° M | 40° L | 65° LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Versione LL126203: alluminio verniciato | Version LL126203: painted aluminium | Version LL126203: aluminium paint | Versión LL126203: aluminio pintado

Ago Applique U&D

| IP66 IK 07 2J xx5 CE UK CA | LED | | | COL. | CODE * |  |
|---|-----|------|---------|--|---|--|
| | W | LM | REAL LM | | | |
|  | 10 | 1200 | 996 |   AC DIRECT |  LL126204 □ □ | |
| | | | | |  LL126205 □ □ | |
| | | | | |  LL126206 □ □ | |
| | | | | |  LL126207 □ □ | |

* Complete the CODE OPTIC D | Diff. S | 25° M | 40° L | 65° LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Versione LL126207: alluminio verniciato | Version LL126207: painted aluminium | Version LL126207: aluminium paint | Versión LL126207: aluminio pintado



Accessori | Accessories | Accessoires | Accesorios


Base Ago Applique verniciata

Painted Ago Applique base

Base Ago Applique paint

Base Ago Applique pintada

| Col. | Code |
|---|------------------|
|  | LB1262004 |
|  | LB1262005 |



Bus DALI

Varialuce universale comandabile con segnale DALI. Dimmerazione a Taglio di Fase discendente (a fine fase) IGBT Trailing-Edge.

Bus DALI

Universal dimmer controlled by DALI signal. Descending Phase Cutting dimming (at the end of the phase) IGBT Trailing-Edge.

Bus DALI

Variateur universel commandé par un signal DALI. Phase descendante Gradation par coupure (à la fin de la phase) IGBT Trailing-Edge.

Bus DALI

Dimmer universal controlado por señal DALI. Atenuación por corte de fase descendente (al final de la fase) IGBT Trailing-Edge.

| Col. | Code |
|------|------------------|
| - | LB1070110 |

