



TEGOLO



- ↳ Tegolo
- ↳ Tegolo U&D

TEGOLO

Installazione

Installation
Installation
Instalación

Terra - Parete

Ground - Wall
Sol - Mur
Suelo - Pared

Materiali

Materials
Materiali
Materiales

Materiale Corpo: Acciaio | Tipo di diffusore: Vetro serigrafato | Trattamento: Bordo Mare

Material: Steel | Diffuser type: Serigraphed glass | Treatment: Sea Treatment
Matériel du corps: Acier | Type de diffuseur: Verre sérigraphié | Traitement: Bord de Mer
Material del cuerpo: | Tipo de difusor: Vidro serigrafiado | Tratamiento: Tratamiento marino

Alimentazione

Power supply
Alimentation
Alimentación

AC DIRECT

Versioni

Versions
Versions
Versiones

Taglio di fase | Cavo Alimentazione: 0,40 metri H05RN-F 3×1

Phase cut | Power cable: 0.40 m H05RN-F 3×1
Coupure de phase | Câble d'alimentation: 0,40 m H05RN-F 3×1
Corte de fase | Cable de alimentación: 0,40 m H05RN-F 3×1



TEGOLO



**TEGOLO
U&D**



COLOURS



Microbead-blasted
stainless steel



White RAL 9010



Grey High Tech RAL 9006





Dark Grey RAL 7021





Corten

Tegolo

IP 67 IK 10 20J xx9 $\pm 50^{\circ}\text{C}$ MAX \downarrow \uparrow 500 ^{KG} MAX CE UK CA	LED			COL. CODE *  LL152010□ LL15201W□ LL15201G□ LL15201D□ LL15201K□	
	W	LM	REAL LM		
	3	200	60	⊕ ⊙ AC DIRECT	

* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K

Tegolo U&D

IP 67 IK 10 20J xx9 $\pm 50^{\circ}\text{C}$ MAX \downarrow \uparrow 500 ^{KG} MAX CE UK CA	LED			COL. CODE *  LL152020□ LL15202W□ LL15202G□ LL15202D□ LL15202K□	
	W	LM	REAL LM		
	6	400	120	⊕ ⊙ AC DIRECT	

* Complete the CODE □ LED COLOUR N | 4000K 3 | 3000K 2 | 2700K



TEGOLO U&D

Bus DALI

Variatore universale comandabile con segnale DALI. Dimmerazione a Taglio di Fase discendente (a fine fase) IGBT Trailing-Edge.

Col. Code

LB1070110

Bus DALI


Universal dimmer controlled by DALI signal. Descending Phase Cutting dimming (at the end of the phase) IGBT Trailing-Edge.

Bus DALI

Variateur universel commandé par un signal DALI. Phase descendante Gradation par coupure (à la fin de la phase) IGBT Trailing-Edge.

Bus DALI

Dimmer universal controlado por señal DALI. Atenuación por corte de fase descendente (al final de la fase) IGBT Trailing-Edge.



Morsettiera coassiale 3 poli

Morsettiera coassiale a 3 poli, IP68, per cavo ø 7/12 mm.

Col. Code

LB11293

3-pole coaxial terminal block


3-pole coaxial terminal block, IP68, for cable ø 7/12 mm.

Bornier coaxial à 3 pôles

Bornier coaxial à 3 pôles, IP68, pour câble ø 7/12 mm.

Bloque de terminales coaxiales de 3 polos

Bloque de terminales coaxiales de 3 polos, IP68, para cable ø 7/12 mm.



Morsettiera lineare a 3 vie

Morsettiera lineare a 3 vie a 3 poli, IP68, per cavo ø 7/13,5 mm.

Col. Code

LB11294

3 way linear terminal block


3-way 3-pole linear terminal block, IP68, for cable Ø 7/13.5 mm.

Bornier linéaire 3 voies

Bornier linéaire 3 voies à 3 pôles, IP68, pour câble diam. 7/13,5 mm

Caja de bornes lineal de 3 vías

Caja de bornes lineal de 3 vías y de 3 polos, IP68, para cable con ø 7/13,5 mm.



Armatura da incasso CNC/INC 50

Armatura da incasso in termoplastico. Accessorio compatibile, ma non necessario per l'installazione.

Col. Code

LB1070039

Recess box CNC/INC 50


Thermoplastic recess box. Compatible accessory, but not required for installation.

Boîte d'encastrement CNC/INC 50

Armature à encastrer en matériau thermoplastique. Accessoire compatible, mais non nécessaire pour l'installation.

Caja de empotrar CNC/INC 50

Caja de empotrar de material termoplástico. Accessorio compatible, pero no necesario para la instalación.



Scatola incasso standard 502

Accessorio compatibile, ma non necessario per l'installazione.

Col. Code

LB1250001

Recess Box 502


Compatible accessory, but not required for installation.

Armature à encastrer standard 502

Accessoire compatible, mais non nécessaire pour l'installation.

Caja de empotrar standard 502

Accessorio compatible, pero no necesario para la instalación.






FEATURES



Colori disponibili.
Available colours.
Couleurs disponibles.
Colores disponibles.



Montaggio.
Installation.
Installation.
Montaje.

Installabile su scatola standard 502.
Installation on recess box 502.
Pour installation sur boîte standard 502.
Instalable en caja 502 estándar.

